

FONTAINE
SMARTCONNECT™

IT'S HERE

The next evolution in predictive maintenance



FONTAINE®
FIFTH WHEEL

Get connected. Stay connected.

FONTAINE SMARTCONNECT

Better information. Better decisions.

Fontaine SmartConnect™ is an information system that gives you the data you need to make better fifth wheel operating and maintenance decisions at a fleet level. The system informs the driver about the current fifth wheel lock status; and with CAN and telematics enabled, upgrade options add even greater functionality including:

- Predictive maintenance modeling and telematics support (let's you know when to adjust or rebuild your fifth wheel)
- Add-on sensors for kingpin, lubrication, slide lock and trailer position monitoring

System upgrades integrate seamlessly with this first generation. High-end components are employed for greater reliability and durability, and the system is loaded with useful features and benefits to help your fleet run more efficiently.

- ✓ **First-fit or retrofit**—A convenient and economical option available for first fit, or you can replace existing Fontaine 6000, 7000 and 7000CC Series top plates with SmartConnect™ enabled models in the aftermarket.
- ✓ **Simple design**—Sensors in the SmartConnect™ module read the location of the locking mechanism.
- ✓ **Flexible Communication Options**—the system features heavy-duty sealed automotive connectors with upgrade options to interface with vehicle electronics, CAN and telematics systems.
- ✓ **Helps prevent downtime**—Upgrade options alert you when a fifth wheel needs to be rebuilt, taking the guesswork out of maintenance and addressing repair issues before they become a downtime problem.
- ✓ **Extends fifth wheel life**—Upgrade options alert you when a fifth wheel needs to be adjusted to keep slack out of the connection, extending the service life of your fifth wheel.
- ✓ **Protected**—components are recessed in the steel fifth wheel housing to help shield the system from environmental and operational damage.



For more information contact your Fontaine representative or visit www.fifthwheel.com


Note: Fontaine SmartConnect™ provides an additional check to supplement the DOT required driver visual inspection and tug test.

FONTAINE SMARTCONNECT

The next evolution in predictive maintenance



The Fontaine SmartConnect™ control module features hardwire connection capability for fleet management communication and future software enhancements.



The SmartConnect™ LED indicator light on the side of the fifth wheel glows red when the lock is open and green when the lock is closed.



Get connected. Stay connected.

A Marmon | Berkshire Hathaway Company

FONTAINE NO-SLACK

Fontaine SmartConnect™ combined with the Fontaine No-Slack® lock is an unbeatable combination that will help your fleet control operating and downtime costs today... and down the road.

Fontaine Advanced Design SmartConnect™ Fifth Wheels

6000 Series Assemblies

Includes top plate and mounting bracket

50,000 lbs vertical load

Up to 95,000 lbs. GCW



STANDARD DUTY MODELS

LWB Slide Mount

Assembly Part Number	Height	Slide	Weight Lbs
SC6LWB675012	6 3/4"	12"	402
SC6LWB725012	7 1/4"	12"	405
SC6LWB825012	8 1/4"	12"	410
SC6LWB675016	6 3/4"	16"	416
SC6LWB725016	7 1/4"	16"	419
SC6LWB825016	8 1/4"	16"	424
SC6LWB675024	6 3/4"	24"	422
SC6LWB725024	7 1/4"	24"	425
SC6LWB825024	8 1/4"	24"	430

PML Stationary Mount

Assembly Part Number	Height	Weight Lbs
SC6PML6250	6 1/4"	279
SC6PML7250	7 1/4"	286
SC6PML8250	8 1/4"	294

NWB Light Weight Slide

Assembly Part Number	Height	Slide	Weight Lbs
SC6NWB675012	6 3/4"	12"	372
SC6NWB775012	7 3/4"	12"	378
SC6NWB875012	8-3/4"	12"	383
SC6NWB675016	6 3/4"	16"	379
SC6NWB775016	7 3/4"	16"	385
SC6NWB875016	8 3/4"	16"	390
SC6NWB675024	6 3/4"	24"	393
SC6NWB775024	7 3/4"	24"	399
SC6NWB875024	8 3/4"	24"	404


Cab release air actuated models available on all models. Change first two letters SC to AC and add 5 lbs.

7000 Series Assemblies

Includes top plate and mounting bracket

55,000 lbs vertical load

Up to 115,000 lbs. GCW



MEDIUM DUTY MODELS

LWB Slide

Assembly Part Number	Height	Slide	Weight Lbs
SC7LWB675012	6 3/4"	12"	438
SC7LWB725012	7 1/4"	12"	441
SC7LWB825012	8 1/4"	12"	446
SC7LWB675016	6 3/4"	16"	452
SC7LWB725016	7 1/4"	16"	455
SC7LWB825016	8 1/4"	16"	460
SC7LWB675024	6 3/4"	24"	458
SC7LWB725024	7 1/4"	24"	461
SC7LWB825024	8 1/4"	24"	466

PML Stationary Mount

Assembly Part Number	Height	Weight Lbs
SC7PML6250	6 1/4"	315
SC7PML7250	7 1/4"	322
SC7PML8250	8 1/4"	330

LWB Slide

Assembly Part Number	Height	Slide	Weight Lbs
SCCLWB675012	6 3/4"	12"	441
SCCLWB725012	7 1/4"	12"	444
SCCLWB825012	8 1/4"	12"	449
SCCLWB675016	6 3/4"	16"	455
SCCLWB725016	7 1/4"	16"	458
SCCLWB825016	8 1/4"	16"	463
SCCLWB675024	6 3/4"	24"	461
SCCLWB725024	7 1/4"	24"	464
SCCLWB825024	8 1/4"	24"	469

PML Stationary Mount

Assembly Part Number	Height	Weight Lbs
SCCPML6250	6 1/4"	318
SCCPML7250	7 1/4"	325
SCCPML8250	8 1/4"	333

Cab release air actuated models available on all models. Change first two letters SC to AC and add 5 lbs.

6000 Series Top Plates

50,000 lbs vertical load

Up to 95,000 lbs. GCW



STANDARD DUTY MODELS

Plate Part Number	Description	Weight Lbs
SCTPL6000	Left Handle Release	220
ACTPL6000	Air Cab Release	225

7000 Series Top Plates

55,000 lbs vertical load

Up to 140,000 lbs. GCW



MEDIUM DUTY MODELS

Plate Part Number	Description	Weight Lbs
SCTPL7000	Left Handle Release	245
ACTPL7000	Air Cab Release	250

7000CC Clean Connect Series Top Plates

55,000 lbs vertical load

Up to 140,000 lbs. GCW



MEDIUM DUTY MODELS

Plate Part Number	Description	Weight Lbs
SCTPL7000CC	Left Handle Release	248
ACTPL7000CC	Air Cab Release	253



www.fifthwheel.com

Get connected. Stay connected.

800-874-9780 • Email: parts@fifthwheel.com

A Marmon | Berkshire Hathaway Company

IMPORTANT – Read and follow all product instructions before installation, use, and performing maintenance. Instructions available at www.fifthwheel.com.

Get the app @ [FifthWheel.com/app](https://www.fifthwheel.com/app)

@FifthWheelParts

FontaineFifthWheel