
# FONTAINE ADVANCED DESIGN NO-TILT FIFTH WHEELS

Built tough and easy to operate



Get connected. Stay connected.

# The fifth wheel that thinks it's a convertible.

Remember the days when you hassled with all kinds of awkward, dirty, heavy and frustrating contraptions to engage/disengage a no-tilt fifth

wheel? Well, those days are gone. Forever. The new line of Fontaine heavy/severe-duty fifth wheels features an integrated design concept to handle no-tilt applications with ease.

All you need is a 7000 or H7
Series No-Slack® top plate
combined with one of our fully
assembled no-tilt mounts. Or
you can convert any of our new
heavy/severe-duty fifth wheels
to no-tilt by bolting on the no-tilt
aftermarket kit (See photo below).

Easy to operate—Simply disengage four stops to switch from a no-tilt to a rocking fifth wheel. Quick. Easy. NO TOOLS.

New Fontaine Heavy-Duty/ Severe-Duty Fifth Wheel Mounts			
Model Number	Description		
HDS	Heavy/Severe-Duty Slide Outboard mount		
NHDS	No-Tilt Heavy/Severe-Duty Slide Outboard mount		
HDI	Heavy/Severe-Duty Slide Inboard angle mount		
NHDI	No-Tilt Heavy/Severe-Duty Slide Inboard angle mount		
PMH	Plate Mount Heavy/Severe- Duty 37 1/4" bolt centers		
NPMH	No-Tilt Plate Mount Heavy/ Severe-Duty 37 <sup>1</sup> /4" centers		
PMX	Plate Mount Heavy/Severe- Duty 38" bolt centers		
NPMX	No-Tilt Plate Mount Heavy/ Severe-Duty 38" bolt centers		

- **Built to take it**—These robust fifth wheels handle the toughest loads with improved stability on the road and at the job site.
- **™ Convertible design**—Adding Fontaine Part Number: **KIT-NO-TILT** to an HDS, HDI, PMH or PMX mount converts the fifth wheel to a No-Tilt (**N**) model. Example: convert the Heavy-Duty Slide (HDS) to No-Tilt Heavy-Duty Slide (**N**HDS) by simply bolting on the kit.
- Add flexibility to your fleet with these durable, convertible fifth wheel mounts—perfect for frameless dump applications.



For more information contact your Fontaine representative or visit www.fifthwheel.com



Adding Part Number: KIT-NO-TILT to HDS, HDI, PMH or PMX mounts

converts the fifth wheel to No-Tilt.

Easy to install ... in minutes!

# FONTAINE ADVANCED DESIGN NO-TILT FIFTH WHEELS Built tough and easy to operate All four No-Tilt stops are shown in the "up" or engaged position to prevent the fifth wheel from rocking

NHDS Sliding fifth

wheel mount shown

with No-Tilt engaged

All four No-Tilt stops are shown in the "down" or disengaged position to allow the fifth wheel to rock back and forth

Simply disengage the four stops to switch from a No-Tilt

to a rocking fifth wheel. Quick. Easy. **NO TOOLS.** 



NPMH Stationary fifth wheel mount shown with No-Tilt disengaged

Get connected. Stay connected.

A Marmon | Berkshire Hathaway Company

## FONTAINE ADVANCED DESIGN NO-TILT FIFTH WHEELS

### **7000** Series

55,000 lbs vertical load Up to 140,000 lbs GCW

### **HEAVY-DUTY MODELS**

NHDS No-Tilt Outboard Slide Mount


Outboard Since Mount			
Assembly Part Number	Height	Slide	Weight Lbs
SL7NHDS800012	8"	12"	507
SL7NHDS900012	9"	12"	516
SL7NHDS100012	10"	12"	525
SL7NHDS800024	8"	24"	529
SL7NHDS900024	9"	24"	538
SL7NHDS100024	10"	24"	548
SL7NHDS800036	8"	36"	559
SL7NHDS900036	9"	36"	568
SL7NHDS100036	10"	36"	577
SL7NHDS800048	8"	48"	589
SL7NHDS900048	9"	48"	598
SL7NHDS100048	10"	48"	607
SL7NHDS800060	8"	60"	611
SL7NHDS900060	9"	60"	620
SL7NHDS100060	10"	60"	629
SL7NHDS800072	8"	72"	634
SL7NHDS900072	9"	72"	643
SL7NHDS100072	10"	72"	652

### NHDI No-Tilt Inboard Slide Mount

Assembly Part Number	Height	Slide	Weight Lbs
SL7NHDI850012	8 1/2"	12"	540
SL7NHDI950012	9 1/2"	12"	549
SL7NHDI1050012	10 1/2"	12"	559
SL7NHDI850024	8 1/2"	24"	576
SL7NHDI950024	9 1/2"	24"	585
SL7NHDI1050024	10 1/2"	24"	595
SL7NHDI850036	8 1/2"	36"	612
SL7NHDI950036	9 1/2"	36"	621
SL7NHDI1050036	10 1/2"	36"	631
SL7NHDI850048	8 1/2"	48"	648
SL7NHDI950048	9 1/2"	48"	657
SL7NHDI1050048	10 <sup>1</sup> /2"	48"	667

**Note:** HDI and NHDI (No-Tilt) inboard slide models are first fit assemblies only and are not available through the Fontaine Fifth Wheel aftermarket at this time. Expected availablity is Q1 2023.

### NPMH No-Tilt Stationary Mount





Assembly Part Number	Height	Bolt Centers	Weight Lbs
SL7NPMX7500	7 1/2"	38"	402
SL7NPMX8500	8 1/2"	38"	407
SL7NPMX9500	9 1/2"	38"	416

### **H7** Series

70,000 lbs vertical load Up to 180,000 lbs GCW

### **SEVERE-DUTY MODELS**

NHDS No-Tilt Outboard Slide Mount

Outboard Slide Moun		To the second	
Assembly Part Number	Height	Slide	Weight Lbs
SLH7NHDS800012	8"	12"	589
SLH7NHDS900012	9"	12"	598
SLH7NHDS100012	10"	12"	607
SLH7NHDS800024	8"	24"	611
SLH7NHDS900024	9"	24"	620
SLH7NHDS100024	10"	24"	630
SLH7NHDS800036	8"	36"	641
SLH7NHDS900036	9"	36"	650
SLH7NHDS100036	10"	36"	629
SLH7NHDS800048	8"	48"	671
SLH7NHDS900048	9"	48"	680
SLH7NHDS100048	10"	48"	689
SLH7NHDS800060	8"	60"	693
SLH7NHDS900060	9"	60"	702
SLH7NHDS100060	10"	60"	711
SLH7NHDS800072	8"	72"	715
SLH7NHDS900072	9"	72"	724
SLH7NHDS100072	10"	72"	733

IMPORTANT - Read and follow

all product instructions before

at www.fifthwheel.com.


installation, use, and performing

maintenance. Instructions available

### NHDI No-Tilt Inboard Slide Mount

Assembly Part Number	Height	Slide	Weight Lbs
SLH7NHDI850012	8 1/2"	12"	621
SLH7NHDI950012	9 1/2"	12"	631
SLH7NHDI1050012	10 <sup>1</sup> /2"	12"	641
SLH7NHDI850024	8 1/2"	24"	659
SLH7NHDI950024	9 1/2"	24"	669
SLH7NHDI1050024	10 <sup>1</sup> /2"	24"	677
SLH7NHDI850036	8 1/2"	36"	694
SLH7NHDI950036	9 1/2"	36"	703
SLH7NHDI1050036	10 1/2"	36"	714
SLH7NHDI850048	8 1/2"	48"	730
SLH7NHDI950048	9 1/2"	48"	739
SLH7NHDI1050048	10 <sup>1</sup> /2"	48"	749

### NPMH No-Tilt Stationary Mount





Stationary Mount			
Assembly Part Number	Height	Bolt Centers	Weight Lbs
SLH7NPMX7500	7 1/2"	38"	472
SLH7NPMX8500	8 1/2"	38"	478
SLH7NPMX9500	9 1/2"	38"	485



www.fifthwheel.com

Get connected. Stay connected.

800-874-9780 • Email: parts@fifthwheel.com